

Stockholm STO-004.

Power & cooling

Total power supply to site: 713 kVA
Total generator power: 700 kVA
Total UPS power: 400 kVA in N+1 configuration
Cooling type: Chilled water
Total cooling: 320 kW

Building specification

Gross size of data centre: 270 m²
Net size of customer space: 240 m²
Building type: Concrete
Building tenure: Leasehold
Number of data suites: 2
Uniform distributed loads: 600 kg/m²
Max raise floor height: not available

Connectivity

This facility provides **diverse fibre entries and paths** within the building connecting **directly to the Interoute 100g backbone network**. Our colocation facilities are **designed to deliver IaaS and virtualised services** as part of an integrated platform, delivering any service(s) over any access type, allowing in-life service changes, enabling you to connect your people, buildings and **data in a way that suits you**.

Location

Address: Karlavägen 108, SE-10 451, Stockholm, Sweden
Location: 59°20'22"N 18°4'53"E
Email: info@interoute.com
Website: www.interoute.com

Security & support

24 x 7 x 365 helpdesk
 24 x 7 x 365 hands & eyes
 24 x 7 x 365 on site security guard
 Critical facility monitoring
 Perimeter & internal CCTV
 Intrusion detection
 Internal CCTV
 Customer access list

Fire detection & suppression

Early smoke detection system
 Gas suppression system

Colocation services

SLA: 99.999% power availability
Service type: Data centre
 ½ rack
 Rack
 Footprint
Power feed: Active A+B feed
AC power: Supports 3-7 kW per rack as standard
DC power: Not available
Cage & private suites: Configuration on demand

31 Colocation centres across

Europe including

Amsterdam • Berlin • Brussels •
 Geneva • Ghent • Madrid •
 Milan • Munich •
 Paris • London •
 Rome • Zurich

